SAFETY DATA SHEET

Section 1: Identification

Product Name: E-Z Flame Fighter TapeSynonyms: Wallboard Joint Tape, Fire TapeCompany: E-Z Taping System, Inc., 3061 S. Ridge Road, Green Bay, WI. 54304

In emergency call 920-632-6745 For information about this SDS, use this department contact phone#: 920-632-6745

Section 2: Hazard(s) Identification

Hazard Classification: N/A Hazard Statements: OSHA PEL, ACGIH TLV

Section 3: Composition/ Information on Ingredients

Chemical Name	Synonym	CAS#	Conc.
Exempt / Trade Secret	-		
-	-		
-	-		

Section 4: First-Aid Measures

After skin contact: WASH WITH SOAP AND WATER IF NECESSARY After eye contact: WASH WITH SOAP AND WATER IF NECESSARY After inhalation: NON-TOXIC. NO SPECIAL TREATMENT NEEDED After swallowing: NON-TOXIC. NO SPECIAL TREATMENT NEEDED

Section 5: Fire-Fighting Measures

Suitable extinguishing agents: FOAM FOG, CO2, WATER OR DRY CHEMICALS **Special protective equipment for firefighters:** None Necessary.

Section 6: Accidental Release Measures

Personal precautions: Gloves if necessary. **Measures for environmental protection:** N/A **Measures for cleaning/collecting:** Solid Waste Landfill or Incinerator

Section 7: Handling and Storage

Handling: No Special Handling. **Storage:** Store in Dry Area.

Section 8: Exposure Controls/Personal Protection

Chemical Name	OSHA PEL	OSHA PEL (ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Acrylic Polymer	X		ACGIH TLV	
-				
•		easures: Gloves if Nece Under Normal Conditior	2	
• • • •	ids: Gloves if Nece		15.	
		Normal Conditions.		
		tormal conditions.		
	Section 9	9: Physical and Chemic	al Properties	
			-	
F orm: Adhesive				
Ddor: Odorless				
Ddor threshold: (Odorless			
oH: Not Applicab	le			
Melting point/me	elting range: 46-4	-8%		
Boiling point/boi	ling range: 212 De	egrees F		
Flash point: Non	-Combustible			
Evaporation rate	: Not Applicable			
Flammability: N	on-Combustible			
Upper/lower flan	nmability or explo	sive limits: Non-Comb	oustible	
Auto ignition ten	nperature: Non-C	ombustible		
Danger of evolog	ion: Not Applicabl	le		
Danger of explos				
- ·	Not Applicable			
Vapor pressure:				
Vapor pressure: Vapor density: N Relative density:	ot Applicable			
Vapor pressure: Vapor density: N Relative density:	ot Applicable	: Can be Diluted.		
Vapor pressure: Vapor density: N Relative density:	ot Applicable Not Applicable	: Can be Diluted.		

Reactivity: Above 350 Degrees F Terminal Decomposition May Yield Acrylic Monomer Chemical stability: Onset of Polymer Decomposition Conditions to avoid: Temperatures Above 350 Degrees F Incompatible materials: Not Applicable Hazardous decomposition products: Acrylic Monomer

Section 11: Toxicological Information

Acute toxicity: Non-Toxic Potential routes of exposure/potential health effects Skin:_Not Applicable Eye: Not Applicable Inhalation:_Not Applicable Ingestion:_Not Applicable Carcinogenic effects:_Not Applicable Mutagenic effects:_Not Applicable Reproductive toxicity:_Not Applicable Sensitization:_Not Applicable Target organs:Not Applicable

Section 12: Ecological Information (non-mandatory)

Ecotoxicity: Non-Toxic Mobility: Non-Toxic Biodegradation: Non-Toxic Bioaccumulation: Non-Toxic

Section 13: Disposal Considerations (non-mandatory)

Not a Hazardous Waste. Dispose in accordance with applicable federal, state and local regulations.

Section 14: Transport Information (non-mandatory)

DOT regulations: In accordance with DOT. Not considered a dangerous good for transport regulations.

Section 15: Regulatory Information (non-mandatory)

Product Not Regulated.

Section 16: Other Information

SDS date of preparation/update:8/20/2019